

COMPREHENSIVE
RANGE OF
D-SMART
SURVEILLANCE
SOLUTIONS





About D-Link Security Solutions

Security has become the major key factor in all Organizations, Institutions, Residential complexes. For total peace of mind, D-Link with over three decades of networking expertise offers integrated surveillance solution with its CCTV & IP surveillance products.

Simplifying technology has always been a core philosophy at D-Link. So be it the IP cameras based on modern plug-and-play technology that are extremely easy to install or the traditional Analog HD CCTV, D-Link is well equipped to cater to the needs of residential, SOHO, SME, Banking, Hospitality or any other commercial establishment.

D-LINK with its new wide range of AHD solution is designed for varied application. The product line includes from 1MP, 2MP, 5MP CCTV AHD camera in Dome/Bullet option. Also different casing for different application is available along with fixed and varifocal lens. There is also diversity in the Recorder with 1080P Lite, 5MP Lite and 8MP Lite DVR.

D-Link CCTV Solution is also driven by Software DSVS (D-LINK Smart Video Surveillance) that empowers users to keep a check from desktop anywhere, anytime. D-Smart (Mobile App) View your CCTV footage from anywhere



Application Scenario



AHD Cameras



Lens


3.6mm, 6mm-Fixed lens
2.8-12mm - Varifocal lens



Supported
2D | 3D DNR, dWDR

Technology

AHD | TVI | CVI | CVBS
Supported



IR Range Variants

20 - 50 mtr.



Resolution

1MP | 2MP | 5MP



IP66

AHD CAMERAS



1 Mega Pixel

1MP Fixed Dome Camera



DCS-F1611

- HD 720P, Lens: 3.6mm
- 1/4" Progressive Scan CMOS sensor
- AHD/TVI/CVI/CVBS Switchable Output
- IR Range up to 20m
- Supports 2D DNR, D-WDR, ICR
- Housing Material: Plastic

1 MP Fixed Bullet Camera



DCS-F1711

- HD 720P, Lens: 3.6mm
- 1/4" Progressive Scan CMOS sensor
- AHD/TVI/CVI/CVBS Switchable Output
- IR Range up to 30m, IP66
- Supports 2D DNR, D-WDR, ICR
- Housing Material: Metal

1 MP Fixed Bullet Camera



DCS-F3711-L1

- HD 720P, Lens: 3.6mm
- 1/4" Progressive Scan CMOS sensor
- AHD/TVI/CVI/CVBS Video Output
- IR Range up to 30m
- Supports 2D DNR, AWB
- Housing Material: Metal

2 Mega Pixel

2MP Fixed Dome Camera



DCS-F1612

- Full HD 1080P, Lens: 3.6mm
- 1/2.7" Progressive Scan CMOS sensor
- AHD/TVI/CVI/CVBS Switchable Output
- IR Range up to 20m
- Supports 2D DNR, ICR
- Housing Material: Plastic

2 MP Fixed Dome Camera



DCS-F2612-L1P

- Full HD 1080P, Lens: 3.6mm
- 1/2.9" Progressive Scan CMOS sensor
- AHD/TVI/CVI/CVBS Video Output
- IR Range up to 20m
- Supports 2D DNR, AWB
- Housing Material: Plastic

2MP Fixed Dome Camera



DCS-F2612-L1PE

- Full HD 1080P, Lens: 3.6mm
- 1/2.9" Progressive Scan CMOS sensor
- AHD/TVI/CVI/CVBS Video Output
- IR Range up to 30m
- Supports 3D DNR, D-WDR, ICR
- Housing Material: Plastic

AHD CAMERAS



2 Mega Pixel

2MP Fixed Dome Camera



DCS-F1612B

- Full HD 1080P, Lens: 6mm
- 1/2.7" Progressive Scan CMOS sensor
- AHD/TVI/CVI/CVBS Switchable Output
- IR Range up to 20m
- Supports 2D DNR, D-WDR, ICR
- Housing Material: Plastic

2MP Fixed Bullet Camera



DCS-F1712B

- Full HD 1080P, Lens: 6mm
- 1/2.7" Progressive Scan CMOS sensor
- AHD/TVI/CVI/CVBS Switchable Output
- IR Range up to 30m, IP-66
- Supports 2D DNR, ICR
- Housing Material: Metal

2MP Varifocal Dome Camera



DCS-F1622

- Full HD 1080P, Lens: 2.8 to 12mm
- 1/2.7" Progressive Scan CMOS sensor
- AHD/TVI/CVI/CVBS Switchable Output
- IR Range up to 35m, IP-66
- Supports 2D DNR, d-WDR, ICR
- Housing Material: Metal

2 Mega Pixel

2MP Varifocal Dome Camera



DCS-F2622-L11

- Full HD 1080P, Lens: 2.8 to 12mm
- 1/2.9" Progressive Scan CMOS sensor
- AHD/TVI/CVI/CVBS Video Output
- IR Range up to 40m, IP-66
- Supports 3D DNR, D-WDR, ICR
- Housing Material: Metal

2MP Varifocal Bullet Camera



DCS-F1722

- Full HD 1080P, Lens: 2.8 to 12mm
- 1/2.7" Progressive Scan CMOS sensor
- AHD/TVI/CVI/CVBS Switchable Output
- IR Range up to 35m, IP-66
- Supports 2D DNR, d-WDR, ICR
- Housing Material: Metal

2MP Varifocal Bullet Camera



DCS-F2722-L11

- Full HD 1080P, Lens: 2.8 to 12mm
- 1/2.9" Progressive Scan CMOS sensor
- AHD/TVI/CVI/CVBS Video Output
- IR Range up to 50m, IP-66
- Supports 3D DNR, D-WDR, ICR
- Housing Material: Metal

AHD CAMERAS



2 Mega Pixel

2 MP Fixed Bullet Camera



DCS-F1712

- Full HD 1080P, Lens: 3.6mm
- 1/2.7" Progressive Scan CMOS sensor
- AHD/TVI/CVI/CVBS Switchable Output
- IR Range up to 30m, IP-66
- Supports 2D DNR, ICR
- Housing Material: Plastic

2MP Fixed Bullet Camera



DCS-F2712-L1P

- Full HD 1080P, Lens: 3.6mm
- 1/ 2.9" Progressive Scan CMOS sensor
- AHD/TVI/CVI/CVBS Video Output
- IR Range up to 20m, IP 66
- Supports 3D DNR
- Housing Material: Plastic

2MP Fixed Bullet Camera



DCS-F2712-L1M

- Full HD 1080P, Lens: 3.6mm
- 1/2.9" Progressive Scan CMOS sensor
- AHD/TVI/CVI/CVBS Video Output
- IR Range up to 30m, IP-66
- Supports 3D DNR
- Housing Material: Metal

5 Mega Pixel

5MP Fixed Dome Camera



DCS-F2615-L1P

- 2592 x 1944, Lens: 3.6mm
- 1/2.5" Progressive Scan CMOS sensor
- AHD/TVI/CVI/CVBS Video Output
- IR Range up to 20m
- Supports 2D DNR, D-WDR, ICR
- Housing Material: Plastic

5MP Fixed Bullet Camera



DCS-F2715-L1P

- 2592 x 1944, Lens: 3.6mm
- 1/2.5" Progressive Scan CMOS sensor
- AHD/TVI/CVI/CVBS Video Output
- IR Range up to 20m, IP66
- Supports 2D DNR, D-WDR, ICR
- Housing Material: Plastic

5MP Fixed Bullet Camera



DCS-F2715-L1M

- 2592 x 1944, Lens: 3.6mm
- 1/2.5" Progressive Scan CMOS sensor
- AHD/TVI/CVI/CVBS Video Output
- IR Range up to 30m, IP 66
- Supports 2D DNR, D-WDR, ICR
- Housing Material: Metal

DVR (Digital Video Recorder)



Video Quality Detector



Intelligent Analytics



Playback

5 different modes of playback



H.265+

Codec Supported



4K Resolution Support



Cloud Support

DVR - Digital Video Recorders - M1 Series



1080P Lite

4CH, 1080P Lite DVR



DVR-F2104-M1

4CH, 1 SATA, H.264+ DVR

- Supports AHD/TVI/CVI/IP Cameras up to 2 MP
- Supports HDMI & VGA Display
- Supports 8TB HDD capacity
- Supports 1 Channel Audio
- Supports 3G/4G Wi-Fi Connectivity
- Google drive & Dropbox Cloud Storage
- Supports Smart Playback & Analytics

8CH, 1080P Lite DVR



DVR-F2108-M1

8CH, 1 SATA, H.264+ DVR

- Supports AHD/TVI/CVI/IP Cameras up to 2 MP
- Supports HDMI & VGA Display
- Supports 8TB HDD capacity
- Supports 1 Channel Audio
- Supports 3G/4G Wi-Fi Connectivity
- Google drive & Dropbox Cloud Storage
- Supports Smart Playback & Analytics

16CH, 1080P Lite DVR



DVR-F2116-M1

16CH, 1 SATA, H.264+ DVR

- Supports AHD/TVI/CVI/IP Cameras up to 2 MP
- Supports HDMI & VGA Display
- Supports 8TB HDD capacity
- Supports 1 Channel Audio
- Supports 3G/4G Wi-Fi Connectivity
- Google drive & Dropbox Cloud Storage
- Supports Smart Playback & Analytics

16CH, 1080P Lite DVR



DVR-F2216-M1

16CH, 2 SATA, H.264+ DVR

- Supports AHD/TVI/CVI/IP Cameras up to 2 MP
- Supports HDMI & VGA Display
- Supports 8TB HDD capacity
- Supports 4 Channel Audio
- Supports 3G/4G Wi-Fi Connectivity
- Google drive & Dropbox Cloud Storage
- Supports Smart Playback & Analytics

KEY FEATURES

Multiple modes
of Playback

Cloud Storage
Supported

Up to 8 TB HDD
Supported

CVBS port for
Cascading
DVR's on 16CH

DVR - Digital Video Recorders - M2 Series



1080P Full HD

4CH, 1080P Full HD DVR



DVR-F2104-M2

4CH, 1 SATA H.265+ DVR

- Supports AHD/TVI/CVI/CVBS /IP Cameras up to 5 MP
- Supports HDMI & VGA Display
- Supports 10TB HDD capacity
- Support extra 2 IP Channel
- Supports 1 Channel Audio
- Supports 3G/4G Wi-Fi Connectivity
- Google drive & Dropbox Cloud Storage
- Supports Smart Playback & Analytics

8CH, 1080P Full HD DVR



DVR-F2108-M2

8CH, 1 SATA H.265+ DVR

- Supports AHD/TVI/CVI/CVBS /IP Cameras up to 5 MP
- Supports HDMI & VGA Display
- Supports 10TB HDD capacity
- Support extra 2 IP Channel
- Supports 1 Channel Audio
- Supports 3G/4G Wi-Fi Connectivity
- Google drive & Dropbox Cloud Storage
- Supports Smart Playback & Analytics

16CH, 1080P Full HD DVR



DVR-F2116-M2

16CH, 1 SATA H.265+ DVR

- Supports AHD/TVI/CVI/CVBS /IP Cameras up to 5 MP
- Supports HDMI & VGA Display
- Supports 10TB HDD capacity
- Support extra 4 IP Channel
- Supports 1 Channel Audio
- Supports 3G/4G Wi-Fi Connectivity
- Google drive & Dropbox Cloud Storage
- Supports Smart Playback & Analytics

16CH, 1080P Full HD DVR



DVR-F2216-M2

16CH, 2 SATA H.265+ DVR

- Supports AHD/TVI/CVI/CVBS /IP Cameras up to 5 MP
- Supports HDMI & VGA Display
- Supports 10TB HDD capacity
- Support extra 4 IP Channel
- Supports 4 Channel Audio
- Supports 3G/4G Wi-Fi Connectivity
- Google drive & Dropbox Cloud Storage
- Supports Smart Playback & Analytics

KEY FEATURES

Supports Video
Quality Blurred
Detection

Storage Space
Estimation

Upto 10 TB HDD
Supported

HDD
Digaonistics

DVR - Digital Video Recorders - M5 Series



5MP Full HD

4CH, 5MP Full HD DVR



DVR-F2104-M5

4CH, 1 SATA H.265+ DVR

- Supports AHD/TVI/CVI/CVBS /IP Cameras up to 8 MP
- Supports HDMI & VGA Display
- Supports 10TB HDD capacity
- Supports extra 4 IP channel
- Supports 4 Channel Audio
- Supports 3G/4G Wi-Fi Connectivity
- Google drive & Dropbox Cloud Storage
- Supports Smart Playback & Analytics

8CH, 5MP Full HD DVR



DVR-F2108-M5

8CH, 1 SATA H.265+ DVR

- Supports AHD/TVI/CVI/CVBS /IP Cameras up to 8 MP
- Supports HDMI & VGA Display
- Supports 10TB HDD capacity
- Supports extra 8 IP channel
- Supports 4 Channel Audio
- Supports 3G/4G Wi-Fi Connectivity
- Google drive & Dropbox Cloud Storage
- Supports Smart Playback & Analytics

16CH, 5MP Full HD DVR



DVR-F2216-M5

16CH, 2 SATA H.265+ DVR

- Supports AHD/TVI/CVI/CVBS /IP Cameras up to 8 MP
- Supports HDMI & VGA Display
- Supports 10TB HDD capacity
- Supports extra 4 IP channel
- Supports 4 Channel Audio
- Supports 3G/4G Wi-Fi Connectivity
- Google drive & Dropbox Cloud Storage
- Supports Smart Playback & Analytics

KEY FEATURES

8MP AHD
Camera Support

Patrol Feature
Supported

Gigabit LAN
Interface

4 CH Audio
Input, 1 CH
Audio Output

CCTV IP Cameras



2 Mega Pixel

2MP Fixed IP Dome Camera



DCS-F5612-L1

- 1920 x 1080 High Resolution
- 1/ 2.9" Progressive Scan CMOS Sensor
- IP range up to 30M
- Supports H.265
- Supports Smart Functions (Area Intrusion & Line Crossing)
- DWDR, 3DNR, Defog, ROI, UpnP - TM

4MP Fixed IP Dome Camera



DCS-F5614-L1

- 2560 x 1440 High Resolution
- 1/ 2.7" Progressive Scan CMOS Sensor
- IP range up to 30M, IP66
- Supports H.265
- Supports Smart Functions (Area Intrusion & Line Crossing)
- DWDR, 3DNR, Defog, ROI, UpnP - TM
- Supports triple stream

2MP Fixed IP Bullet Camera



DCS-F5712-L1

- 1920 x 1080 High Resolution
- 1/ 2.9" Progressive Scan CMOS Sensor
- IP range up to 30M, IP66
- Supports H.265
- Supports Smart Functions (Area Intrusion & Line Crossing)
- DWDR, 3DNR, Defog, ROI, UpnP - TM

4MP Fixed IP Bullet Camera



DCS-F5714-L1

- 2560 x 1440 High Resolution
- 1/ 2.7" Progressive Scan CMOS Sensor
- IP range up to 30M, IP66
- Supports H.265
- Supports Smart Functions (Area Intrusion & Line Crossing)
- DWDR, 3DNR, Defog, ROI, UpnP - TM
- Supports triple stream



CCTV NVR - Network Video Recorders



4CH, NVR



DNR-F5104-M5

4CH, 1 SATA, H.265+ NVR

- Supports up to 5MP IPC
- Supports Smart Playback & Analytics
- Supports 3G/4G Wi-Fi Connectivity
- Google drive & Dropbox Cloud Storage

8CH, NVR



DNR-F5108-M5

8CH, 1 SATA, H.265+ NVR

- Supports up to 5MP IPC
- Supports Smart Playback & Analytics
- Supports 3G/4G Wi-Fi Connectivity
- Google drive & Dropbox Cloud Storage

16CH, NVR



DNR-F5216-M8

16CH, 2 SATA, H.265+ NVR

- Supports up to 8MP IPC
- Supports Smart Playback & Analytics
- Supports 3G/4G Wi-Fi Connectivity
- Google drive & Dropbox Cloud Storage
- Supports 1 Channel Audio Support

32CH, NVR



DNR-F5232-M8

32CH, 2 SATA, H.265+ NVR

- Supports up to 8MP IPC
- Supports Smart Playback & Analytics
- Supports 3G/4G Wi-Fi Connectivity
- Google drive & Dropbox Cloud Storage
- Supports 1 Channel Audio Support

KEY FEATURES

Support SNMP
& Multicast

Patrol Feature
Supported

Supports
8 TB HDD

Upto 8CH Alarm
Input, 1CH
Output Port

CCTV Software & App

DSVS (VMS Software) D-LINK Smart Video Surveillance



DSVS provides a free surveillance solution for managing multiple NVR/DVR/IPC

- Up to 128 channels remote live view
- Up to 9 channels remote playback
- Supports schedule/manual recording on PC
- Supports Multi-screen display

D-Smart (Mobile App) View your CCTV Footage from any where



- Easy to use
- Intuitive
- Customizable
- Download our app for iOS & Android
- D-Smart App is a mobile application/Android OS or iOS) for IPC, NVR & DVR. User can use this app to add device, view live video, record playback, snapshot, local recording by a wireless network.



Google Play




App Store

DVR Enclosures

NWR-2U-5540-GR-DVR

RAL 7035/7037 Grey, 0.65 to 0.8mm, Steel



- DIN 41494 or equivalent ISO Standards
- Unique bottom openable feature with ease of service
- Adjustable 19" equipment mounting vertical
- Depth adjustable mounting slots
- Engineering capabilities & best efficient software configuration product technology
- Top & bottom Panel with ventilation & cable entry facility
- Provision to mount cooling fans on the top panel
- Powder coated finish with pretreatment process
- Grounding & Bonding Options.
- 100% assured compatibility conforming to DIN 41494

NWR-3535-DVR

RAL 7035/7037 Grey, 0.65 to 0.8mm, Steel



- Compact design to ensure safety as well as space saving
- Suitable for non rack-mountable DVR storage
- Precision engineering capabilities & best efficient software configuration product technology
- Front Toughened tinted glass door
- Welded Side Panels with ventilation
- Cable entry cutouts at top & bottom both sides
- Powder coated finish with pretreatment process
- Grounding & Bonding provision
- Elegant Retail Gift Box packing with lifting handle

CCTV Power Supplies

4CH CCTV Power Supply



DPS-F1B04

- Highly Efficient & Consumes Low Power
- Input Voltage-110VAC-300VAC 47/53Hz
- Output Voltage - 12V- 1 Amp (max) each channel
- Over Heat & Voltage Protection
- Over Load Protection
- Highly Integrated SMPS Switcher I.C Design
- Short Circuit Auto Restart
- Stabilized Output, Low Interference, Surge Protected

8CH CCTV Power Supply



DPS-F1B08

- Highly Efficient & Consumes Low Power
- Input Voltage-110VAC-300VAC 47/53Hz
- Output Voltage - 12V- 1 Amp (max) each channel
- Over Heat & Voltage Protection
- Over Load Protection
- Highly Integrated SMPS Switcher I.C Design
- Short Circuit Auto Restart
- Stabilized Output, Low Interference, Surge Protected

16CH CCTV Power Supply



DPS-F1B16

- Highly Efficient & Consumes Low Power
- Input Voltage-110VAC-300VAC 47/53Hz
- Output Voltage - 12V- 1 Amp (max) each channel
- Over Heat & Voltage Protection
- Over Load Protection
- Highly Integrated SMPS Switcher I.C Design
- Short Circuit Auto Restart
- Stabilized Output, Low Interference, Surge Protected



*Conditions apply

CCTV Cables

GOLD

Reliable • Robust • Resilient



Flame
Retardant
cable



Complete
Reliability



High
Quality
Copper wire




Supports
Hybrid
Cable



Shielded
Communication
Cable



Copper
Braiding



CCTV Cables

90 Meter

Copper GOLD CCTV Cable



DCC-CCU-90

- 3+1
- Copper Braiding
- Flame Retardant cable (IEC-60332-1)
- Supports Hybrid cable

Premium CCTV Cable



DCC-WHI-90

- 3+1
- CCA Alloy Braiding
- Flame Retardant cable (IEC-60332-1)
- Supports Hybrid cable

Standard CCTV Cable



DCC-CAL-90

- 3+1
- Aluminum Alloy Braiding
- Flame Retardant cable (IEC-60332-1)
- Supports Hybrid cable

180 Meter

Copper GOLD CCTV Cable



DCC-CCU-180-3

- 3+1
- Copper Braiding
- Flame Retardant cable (IEC-60332-1)
- Supports Hybrid cable

Premium CCTV Cable



DCC-WHI-180-3

- 3+1
- CCA Alloy Braiding
- Flame Retardant cable (IEC-60332-1)
- Supports Hybrid cable

Premium+ CCTV Cable



DCC-WHI-180-4

- 4+1
 - CCA Alloy Braiding
 - Flame Retardant cable (IEC-60332-1)
 - Supports Hybrid cable
- Also available in 90meter**



D-Link Express Service, a special service program designed solely for our CCTV resellers/Stockiest/System Integrators. This support program ensures quick resolution in any defective product is reported with support being provided right at partner doorstep.

For mission critical case, D-Link shall also provide advance replacement benefit (Only for CCTV Analog Camera's). Further partner can also avail technical assistance, warranty support & much more.

How it works?



Register

Register to generate a unique D-Link Express ID



Request

Make pick-up request via. WhatsApp/ Email/ Web/ Call



Share Details

Share unique partner Express ID with product model no., pick request and details of technical issue faced



Pick-up

D-Link to arrange for pick-up through FedEx as it courier partner



Express Service

Collect defective and deliver replacement

Technical Support No.: 1860 233 3999

4 quick options to avail D-Link Express Service

WhatsApp

WhatsApp: +91-7507771222

- Share D-Link Express Service ID
- Product Model no. & Qty.
- Problem faced or
- Technical query (if any)
- Pick-up request



Email

express.service@in.dlink.com

(Please send below details by email)

- Share D-Link Express Service ID
- Product Model no. & Qty
- Problem faced or
- Technical query (if any)
- Pick-up request



Web Service

www.dlink.co.in/cctvexpress

Login with Express Service ID and Registered Mobile No to avail below facilities:

- 1: Request for defective product pickup
- 2: View request update /RMA status online
- 3: Request for Advance Replacement.
- 4: Track courier docket



Call

+91-7507771222

Dedicated contact number
for immediate support from
Monday to Saturday
between 10am to 6pm



D-Link Own Company Service Centres

Mumbai

Unit : 111, First floor, Sim Lim Square, Dr. D.B. Marg, Above Neo Dynamics, Lamington Road, Grant Road (East), Mumbai - 400 007.
☎ Mr. Bhushan L - 09987938134

New Delhi

408, 4th Floor, Building no.93, Ashok Bhawan, Nehru Place, New Delhi - 110019.
☎ Mr. Suraj Prakash - 09871676600

Kolkata

Second Floor, Building No. 4, Ganesh Chandra Avenue, Kolkata - 700 013.
☎ Mr. Tayan Som - 9831254205

Bangalore

No. 5 Shop No 38, (Land Mark Near to Sharada Theater & Bank of India) S.M.Tower, OTC-Road Near SP-Road, Bangalore-560002.
☎ Mr. Prakash Babu - 09663969969

Ahmedabad

105, 1st Floor, Shivalik Highstreet, B/h. Keshavbhag Party Plot, Bodakdev, Ahmedabad - 380015.
☎ Mr. Sachin Chauhan - 09825408238

Cochin

Door No. 39/1029A, First Floor, Gupta Building, Near BSNL CTO, Karakkat Road, Ernakulam, Cochin - 682016.
☎ Mr. Joji - 09747031116

Indore

216, 2nd Floor, Commerce House, 7 Race Course Road, Indore - 452001.
☎ Mr. Vinod Chourey - 09770477776

Goa

Plot No. U02B, Verna Industrial Estate, Verna, Salcette, Goa - 403722.
☎ Mr. Mahendra - 09158899892

Navi Mumbai

Unit No. F - 198, 1st floor, Haware Fantasia Business Park, Plot No. 47, Sector 30A, Vashi, Navi Mumbai - 400 703.
☎ Mr. LK Singh - 09987938160

Secunderabad

Ground floor, Unit No. LG18, Bhuvana Towers (CMR Exclusive Building), Next to Manju Theatre, S D Road Secunderabad - 500003.
☎ Mr. Kiran Sainath - 7207320532

Chennai

D-Link (India) Limited
Shop No. 2-M, Gaiety Palace, Door No. 1/L, Blackers Road, Mount Road, Anna Salai, Chennai - 600 002.
☎ Mr. Vasanth Raj - 09840565152

For other partner service location/Collection point.
Please visit: www.dlink.co.in/service

Reach us



NORTH REGION

New Delhi

☎ +91- 9810465454

Chandigarh

☎ +91-9878888724

☎ +91-9876008178

Jaipur

☎ +91-9829684499

UP

☎ +91-9168662842

West UP

☎ +91- 9810465454

☎ +91- 9899834069

SOUTH REGION

Bangalore

☎ +91-9844005725

☎ +91-8879208993

Cochin

☎ : +91-9847045472

Chennai

☎ +91-9940636982

☎ +91-9500036982

Hyderabad

☎ +91-9848042173

WEST REGION

Mumbai (Corporate Office)

☎ 8291377492

Ahmedabad

☎ +91-98254 15008

Goa

☎ +91-9823080191

Pune

☎ +91-7738362454

Indore

☎ +91-9993035001

Nagpur

☎ +91-9823218884

EAST REGION

Kolkata

☎ +91-9831725029

Guwahati

☎ +91-8254903297

Orissa

☎ +91-9831725029

Raipur

☎ +91-9823218884

Ranchi

☎ +91-8651941305

Patna

☎ +91-9304577120

D-Link[®]
Building Networks for People

D-LINK (INDIA) LIMITED

✉ cctv@in.dlink.com | Follow us on: [Twitter](#) | [Facebook](#) | [Instagram](#) | [LinkedIn](#)

Technical Support No.: 1860 233 3999



cctv.dlink.co.in